













NEW DARWIN 2.0

PATENTED

Pre-assembled furniture kit for single pivot sliding door fitting with load capacity 50kg per shutter.

APPLICATION Pivot sliding door pocket fitting 	DESIGN Pivot sliding door pocket fitting  Single door leaf 1 kit for 1 shutter	DAMPENED DOOR CLOSING 	PRE-ASSEMBLED Quick and easy installation 	LOAD CAPACITY maximum 30 kg per shutter 	DOOR LEAF THICKNESS  minimum 18 mm maximum 30 mm	WIDTH OF THE SHUTTER  minimum 200 mm maximum 700 mm
HEIGHT OF THE SHUTTER  1200 mm - 1400 mm 1990 mm - 2200 mm 2200 mm - 2700 mm	DEPTH  minimum 560 mm minimum 665 mm minimum 700 mm minimum 765 mm	3D ADJUSTMENTS 	OPTIONAL Auto-retrieval shutter Device 	OPTIONAL Load capacity increase kit (from 30 kg to 50 kg) 		

Closed shutters



Open shutters



Shutters internal to the cabinet



How to choose the New Darwin 2.0

System

The New Darwin 2.0 is a pre-assembled system available in 10 versions. Each version is changing according to the depth of the cabinet in relation to specific door heights.

Depth	Height of the shutter	Load capacity	Item number.
minimum 560 mm	from 1990 mm to 2200 mm	30 kg (50 kg)*	9500 1 560 ABS
minimum 560 mm	from 2200 mm to 2700 mm	50 kg	9500 2 560 ABS
minimum 560 mm	from 1200 mm to 1400 mm	30 kg	9500 3 560 ABS
minimum 665 mm	from 1990 mm to 2200 mm	30 kg (50 kg)*	9500 1 665 ABS
minimum 665 mm	from 2200 mm to 2700 mm	50 kg	9500 2 665 ABS
minimum 665 mm	from 1200 mm to 1400 mm	30 kg	9500 3 665 ABS
minimum 700 mm	from 1990 mm to 2200 mm	30 kg (50 kg)*	9500 1 700 ABS
minimum 700 mm	from 2200 mm to 2700 mm	50 kg	9500 2 700 ABS
minimum 700 mm	from 1200 mm to 1400 mm	30 kg	9500 3 700 ABS
minimum 765 mm	from 1990 mm to 2200 mm	30 kg (50 kg)*	9500 1 765 ABS

*The system can reach a load capacity of 50 kg by adding the 9500 11 ABS accessory.





Product details



Technical drawings

Dimensions indicated in millimeters



Lp= Width of the shutter - **Lbox**= Cabinet body width - **Pb**= Depth

www.kronakoblenz.com





Accessories to complete the system and spare parts

Accessories

Figure	Component	*Quantity	Item number.
1	Spacer to connect the side compartment (upper or lower)	1 piece	9500 6**
2	Spacer for joining convergent doors (upper and lower)	1 piece	9500 6 2S
3	Load capacity increase kit (from 30 kg to 50 kg) - box with 2 hinges	2 pieces	9500 11 ABS
4	Panel Auto-retrieval device (depth 560 mm, 665 mm and 700 mm)	1 piece	9500 16 RV
5	Soft wheel pulley guide	4 pieces	9500 17 1

*The minimum order quantity is indicated.

**Simply order one kit consisting of a 1550 mm long carter and fixing accessories. The Carter has be cut into two parts by the customer during the installation phase, adapting it to the size of the box. The two sections obtained will be used for the upper and lower parts respectively. The assembly instructions included in the kit provide details on how to proceed correctly.



Spare parts

Figure	Component	*Quantity	Item number.	Which set is it for?
6	Hinge single door leaf	1 piece	9500 9 ABS	NEW DARWIN 2.0
7	Track covering sheet (height 1990-2200 mm)	2 pieces	9500 7	NEW DARWIN 2.0
	Track covering sheet (height 2200-2700 mm)	2 pieces	9500 8	NEW DARWIN 2.0
	Track covering sheet (height 1200-1400 mm)	2 pieces	9500 19	NEW DARWIN 2.0
-	Z-axis adjustment unit ABS 9500	1 piece	9500 13.1	NEW DARWIN 2.0
8	Hard wheel pulley guide	4 pieces	9500 17	NEW DARWIN 2.0
9	Metal tag for connecting carter support	1 piece	9500 20	NEW DARWIN 2.0
10	Upper and lower kit units for door leaf	2 pieces	9500 21	NEW DARWIN 2.0
11	Set of backside upper and lower stops	2 pieces	9500 22	NEW DARWIN 2.0

*The minimum order quantity is indicated.

